sachtler

System FSB 8 Mk II 75/2 CF MS

Sachtler system FSB 8 Mk II Sideload with tripod 75/2 CF , mid-level spreader and bag

SKU: 0773CM

Available from October 2021

Fluid, Smooth, Balanced: Capture the moment precisely

Redesigned with features from the revolutionary Sachtler aktiv fluid head range, FSB delivers precision movement with finely calibrated levels of drag and counterbalance for the perfect shot. The streamlined profile is built to withstand the toughest conditions to deliver repeatable, reliable camera support shot after shot.


Product Highlights

- Smooth operation.
 Create precision pans with smooth starts and soft stops.
- Finely balanced. Delivering smooth pan-tilt fluid actions to match any camera payload from 0kg.
- Always on the level.
 Innovative illuminated PrismBubble visible from any height – day or night.
- Built for endurance. Engineered to the highest standards with tough materials and precision components, FSB is built for endurance.



Technical Specifications

Feature	Value
	FSB
Range	FSD
Pan bar count	1
Payload	0 to 12 kg
Bowl size	75 mm
Weight	4.90 kg
Spreader type	Mid-level spreader
Material	Carbon Fibre
Transport length	870 mm
Tripod stages	2
Height with spreader	0.81 to 1.71 m
Temperature range	-40 to 60 °C
Tilt range	90° to -70°
Sliding range	120 mm
Interface Compatibility	Sideload
Counterbalance	15 + 0 counterbalance steps
Drag	7 + 0 drag settings





What's in the box?

FSB 8 Mk II fluid head with Sideload plate S and one pan bar DV 75 right; tripod 75/2 CF with ground spreader; padded bag

- Padded bag DV 75 S
- Mid-level spreader 75
- FSB 8 Mk II

